July 18, 2001

Ms. Susan Henry Red Spot Paint & Varnish Co., Inc. 1016 East Columbia Street Evansville, IN 47711

Re: **163-14576**

First Administrative Amendment to

Part 70 163-7524-00018

Dear Ms. Henry:

Red Spot Paint & Varnish Co., Inc. was issued a permit on May 31, 2001 for a paint, varnish, thinner, and lacquer blending operation. A letter requesting the removal of unnecessary permit language was received on June 20, 2001. Pursuant to the provisions of 2-7-11(a)(8) the permit is hereby administratively amended as follows:

Red Spot Paint & Varnish Co., Inc. has submitted a request to amend Condition D.1.2 to remove the 326 IAC 8-1-6 requirement to obtain an approval from the OAQ and Evansville EPA if the source exceeds the listed tank pressures.

Condition D.1.2, which references 326 IAC 8-1-6, requires the source to obtain an approval from the OAQ and Evansville EPA if the VOC emissions from tank farms 3 and 4 exceed 25 tons per year or if changes are made to tank farms 3 and 4 that result in tank pressures that exceed the levels specified in the condition.

Requiring the source to obtain approval if the specified tank pressures are exceeded is not necessary because requiring the source to obtain approval if the VOC emissions from tank farms 3 and 4 exceed 25 tons per year, alone, accounts for all possible means of exceeding the 326 IAC 8-1-6 applicable threshold of 25 tons per year.

Thus, Condition D.1.2 is amended as follows to remove the requirement to obtain an approval if the source exceeds the pressures specified in Condition D.1.2. Bold text denotes addition of language and strike-out of type denotes deletion of language.

D.1.2 New Facilities; General Reduction Requirements [326 IAC 8-1-6]

The owner or operator shall, for Aany change or modification to the tank farms # 3 and # 4 that may increase the tank farm PTE of potential VOC emissions from these tank farms to more than 25 tons per year, or any change in the vapor pressures (at 20°C) of each organic liquid stored that may exceed the following shall obtain approval from OAQ and the Evansville Environmental Protection Agency before such changes can be made.

- a. 14.78 psi for tank TF4-1 and TF4-2;
- b. 4.49 psi for tank TF4-3:
- c. 15.0 psi for tank TF4-4, TF4-5, TF4-6 and TF4-7;
- d. 36.9 psi for tank TF3-1;
- e. 5.60 psi for tank TF3-2;
- f. 8.50 psi for tank TF3-3.

All other conditions of the permit shall remain unchanged and in effect. Please attach a copy of this amendment and the following revised permit pages to the front of the original permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Scott Fulton, at (800) 451-6027, press 0 and ask for Scott Fulton or extension 3-5691, or dial (317) 233-5691.

Sincerely,

Original Signed by Paul Dubenetzky Paul Dubenetzky, Chief Permits Branch Office of Air Quality Page 2 of 2

163-14576-00018

Attachments SDF

cc: File - Vanderburgh County

U.S. EPA, Region V

Vanderburgh County Health Department

Southwest Regional Office

Evansville EPA

Air Compliance Section Inspector Scott Aslinger

Compliance Data Section - Karen Nowak

Administrative and Development - Janet Mobley Technical Support and Modeling - Michele Boner

PART 70 OPERATING PERMIT OFFICE OF AIR QUALITY AND THE EVANSVILLE ENVIRONMENTAL PROTECTION AGENCY

Red Spot Paint and Varnish Co., Inc 1016 East Columbia St. Evansville, Indiana 47711

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-7 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: T163-7524-00018	Date Issued: May 31, 2001
First Administrative Amendment: T163-14576-00018	Affected Page: 30
Original Signed by Paul Dubenetzky Issued by: Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date: July 18, 2001

- (h) portable mix tanks and totes consisting of:
 - one hundred and forty six (146) portable mix tanks with capacities ranging from 6 to 55 gallons;
 - (2) forty eight (48) portable mix tanks with capacities ranging from 56 to 99 gallons;
 - (3) seventy one (71) portable mix tanks with capacities ranging from 100 to 199 gallons;
 - (4) thirty seven (37) portable mix tanks with capacities ranging from 200 to 299 gallons;
 - (5) thirty four (34) portable mix tanks with capacities ranging from 300 to 399 gallons;
 - (6) nine (9) portable mix tanks with capacities ranging from 400 to 499 gallons;
 - (7) eight (8) portable mix tanks with capacities ranging from 500 to 605 gallons;
 - (8) forty (40) portable mix totes, each with a maximum capacity of 99 gallons;
 - (9) twenty (20) portable mix totes with capacities ranging from 100 to 299 gallons;
 - (10) fifty (50) portable mix totes with capacities ranging from 300 to 500 gallons;
 - (11) twenty (20) portable mix totes with capacities ranging from 501 to 605 gallons;
- (i) one (1) waste processing facility, identified as building # 8, installed in 1967, with a maximum throughput rate of 2,149,719 lbs per year, consisting of 5 general exhaust ducts, and exhausting to stack SV8-1; and
- (j) one (1) mixing operation, identified as nextel manufacturing building # 14, with a maximum production rate of 5200 gallons per year, exhausting to stack SV14-8, and consisting of:
 - three (3) mixing stations, identified as 68, 69 and 70, each with a maximum capacity of 700 gallons;
 - (2) three (3) general exhaust ducts.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards [326 IAC 2-7-5(1)]

D.1.1 NESHAPs [326 IAC 14][40 CFR Part 63]

Currently there are no National Emission Standards for Hazardous Air Pollutants (NESHAPs)(326 IAC 14 and 40 CFR Part 63) applicable to this source. However, the US EPA has established (Manufacture of Paints, Coatings, and Adhesives) as a source category requiring HAP control and established November 15, 2000 as the final rule promulgation date. The source shall evaluate applicability to the rule upon its promulgation and shall comply with the applicable rules.

D.1.2 New Facilities; General Reduction Requirements [326 IAC 8-1-6]

The owner or operator shall, for any change or modification to tank farms # 3 and # 4 that may increase the tank farm potential VOC emissions to more than 25 tons per year, obtain approval from OAQ and the Evansville Environmental Protection Agency before such changes can be made.